

**Commonwealth of Kentucky
Environmental and Public Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382**

**AIR QUALITY PERMIT
Issued under 401 KAR 52:040**

Permittee Name: Calvert Marine Painting LLC
Mailing Address: P.O. Box 2695, Paducah, KY 42002

Source Name: Calvert Marine Painting LLC
Source Address: 354 Hollinger Road
Calvert City, KY 42029


Source Location: Near Calvert City on the Tennessee River

Permit ID: S-06-029 Revision 1
Agency Interest #: 71541
Activity ID: APE20080001
Review Type: Minor Source, Operating
Source ID: 21-157-00063

Regional Office: Paducah Regional Office
130 Eagle Nest Drive
Paducah, KY 42003
(270) 898-8468

County: Marshall

Application
Complete Date: May 13, 2008
Issuance Date: November 21, 2006
Revision Date: May 29, 2008
Expiration Date: November 21, 2016



**John S. Lyons, Director
Division for Air Quality**

SECTION A - PERMIT AUTHORIZATION

Pursuant to a duly submitted application the Kentucky Division for Air Quality hereby authorizes the operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first submitting a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in 401 KAR 52:040, State-origin permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining other permits, licenses, or approvals that may be required by the Cabinet or other federal, state, or local agencies.

SECTION B - EMISSION POINTS, EMISSION UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS**Emission Unit 01 (01, 02, 03 & 04)****Dry Dock Sanding and Painting**

Description: The dry dock abrasive blasting and painting is limited to 4 boats per month with 24 hours devoted to media blasting per boat and approximately 5 hours devoted to spray painting per boat. The maximum usage rate of blast media in the abrasive blasting operation is 800 pounds per hour (2 applicators rated at 400 pounds per hour). The maximum application rate of coating as applied (i.e., mastic coating, curing agent and thinner combined) is 17.5 gallons per hour. Overspray from the abrasive blasting and painting operations will be controlled by a fabric filter system that forms a protective enclosure around the work area. Construction commenced date: July 2007.

APPLICABLE REGULATIONS:

401 KAR 63:010, Fugitive emissions

1. Operating Limitations:

- A. 401 KAR 63:010, § 3(1)(c), reasonable precautions and adequate containment methods shall be employed during abrasive blasting or other similar operations.
- B. 401 KAR 63:010, § 3(2), no person shall cause or permit the discharge of visible fugitive dust emissions beyond the lot line of the property on which the emissions originate.
- C. The annual usage of coating as applied shall not exceed 5,280 gallons. Mastic coating usage shall not exceed 3,240 gallons per year, curing agent usage shall not exceed 1,080 gallons per year and thinner usage shall not exceed 480 gallons per year.
- D. The annual usage of blasting media (e.g., coal slag) shall not exceed 460 tons per year.
- E. The permittee shall use only Black Beauty or equivalent as blasting media. River sand shall not be used as blasting media.

Compliance Demonstration Methods:

Compliance with Operating Limitation A shall be assumed when the fabric filter system is in place and operating efficiently when sanding or painting is being conducted. Compliance with Operating Limitation B shall be assumed when the permittee complies with Operating Limitation E. Compliance with Operating Limitations C and D shall be verified by maintaining records of the gallons of coating material and tons of blasting media used on a monthly basis.

2. Emission Limitations:

N/A

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

3. Testing Requirements:

401 KAR 50:045, Section 1: The cabinet may require the owner or operator of an affected facility to sample emissions in accordance with methods approved by the cabinet or the U.S. EPA. All tests shall be made under the direction of persons qualified by training or experience in the field of air pollution control.

4. Monitoring Requirements:

- A. A visual inspection of the fabric filter system shall be conducted daily during periods of media blasting or painting to assure that it is in place and operating efficiently.
- B. The gallons of mastic coating, curing agent, thinner or any other Volatile Organic Compound (VOC) containing material used shall be monitored monthly.
- C. The tons of blasting media used shall be monitored monthly.

5. Recordkeeping Requirements:

- A. Records of daily visual inspections of the fabric filter system shall be recorded and any corrective actions taken noted.
- B. Records of the gallons of mastic coating, curing agent, thinner or any other VOC containing material used shall be kept on a monthly basis.
- C. Records of the tons of blasting media used shall be kept on a monthly basis.

6. Reporting Requirements:

The semiannual compliance report shall be required to contain only the following information:

- A. A summary of visual inspections of the fabric filter system during the period.
- B. The gallons of mastic coating, curing agent, thinner or any other VOC containing material used during the period.
- C. The tons of blasting media used during the period.
- D. Refer to Section C, 3. Reporting Requirements, for additional information regarding reporting requirements.

SECTION C - GENERAL CONDITIONS

1. Administrative Requirements

- a. The permittee shall comply with all conditions of this permit. Noncompliance shall be a violation of 401 KAR 52:040, Section 3(1)(b) and is grounds for enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
- b. This permit shall remain in effect for a fixed term of ten (10) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:040, Section 15]
- c. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit [Section 1a-11 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- d. Pursuant to materials incorporated by reference by 401 KAR 52:040, this permit may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition [Section 1a-4, 5, of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- e. This permit does not convey property rights or exclusive privileges [Section 1a-8 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- f. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance [401 KAR 52:040 Section 11(3)].

SECTION C - GENERAL CONDITIONS (CONTINUED)**2. Recordkeeping Requirements**

- a. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of at least five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality [401 KAR 52:040 Section 3(1)(f) and Section 1b-IV-2 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- b. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official pursuant to 401 KAR 52:040, Section 21.

3. Reporting Requirements

- a. (1) In accordance with the provisions of 401 KAR 50:055, Section 1, the permittee shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows:
 - i. When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
 - ii. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards, notification shall be made as promptly as possible by telephone (or other electronic media) and shall be submitted in writing upon request.
- (2) The permittee shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition a.(1) above), the probable cause of the deviation, and corrective or preventive measures taken; to the Regional Office listed on the front of this permit within 30 days. Other deviations from permit requirements shall be included in the semiannual report [Section 1b-V-3 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- b. The permittee shall furnish information requested by the Cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or to determine compliance with the permit [Section 1a-6 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- c. Summary reports of monitoring required by this permit shall be submitted to the Regional Office listed on the front of this permit at least every six (6) months during the life of this permit. For emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation. The summary reports

SECTION C - GENERAL CONDITIONS (CONTINUED)

are due January 30th and July 30th of each year. All deviations from permit requirements shall be clearly identified in the reports. All reports shall be certified by a responsible official pursuant to 401 KAR 52:040, Section 21.

4. Inspections

In accordance with the requirements of 401 KAR 52:040, Section 3(1)(f) the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times. Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency:

- a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation.
- b. To access and copy any records required by the permit.
- c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit.
- d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements.

5. Emergencies/Enforcement Provisions

- a. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [Section 1a-3 of the *Cabinet Provisions and Procedures for Issuing State-Origin Permits* incorporated by reference in 401 KAR 52:040 Section 23].
- b. An emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or relevant evidence that:
 - (1) An emergency occurred and the permittee can identify the cause of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
 - (4) The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
- c. Emergency provisions listed in General Condition 5.b are in addition to any emergency or upset provision contained in an applicable requirement [401 KAR 52:040, Section 22(1)].
- d. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof. [401 KAR 52:040, Section 22(2)].

SECTION C - GENERAL CONDITIONS (CONTINUED)**6. Compliance**

- a. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
 - (1) Pursuant to 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by 401 KAR 50:055, Section 1.
 - (2) All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and nonroutine maintenance performed on each control device. Daily observations are required during daylight hours of all operations, control equipment and any visible emissions to determine whether conditions appear to be either normal or abnormal. If the operations, controls and/or emissions appear to be abnormal, the permittee must then comply with the requirements of Section C – General Conditions, 3.a.(2), of this permit.
 - (3) A log of the monthly raw material consumption and monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program, spread sheets, calculations or performance tests as may be specified by the Division [401 KAR 50:055, Section 2].
- b. Pursuant to 401 KAR 52:040, Section 19, the permittee shall certify compliance with the terms and conditions contained in this permit by January 30th of each year, by completing and returning a Compliance Certification Form (DEP 7007CC) (or an approved alternative) to the Regional Office listed on the front of this permit in accordance with the following requirements:
 - (1) Identification of the term or condition;
 - (2) Compliance status of each term or condition of the permit;
 - (3) Whether compliance was continuous or intermittent;
 - (4) The method used for determining the compliance status for the source, currently and over the reporting period, and
 - (5) For an emissions unit that was still under construction or which has not commenced operation at the end of the 12-month period covered by the annual compliance certification, the permittee shall indicate that the unit is under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.

SECTION C - GENERAL CONDITIONS (CONTINUED)

- (6) The certification shall be postmarked by January 30th of each year. Annual compliance certifications shall be mailed to the following addresses:

Division for Air Quality
Paducah Regional Office
130 Eagle Nest Drive
Paducah, KY 42003

Division for Air Quality
Central Files
803 Schenkel Lane
Frankfort, KY 40601-1403

- c. Permit Shield - A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with all:
- (1) Applicable requirements that are included and specifically identified in this permit; or
 - (2) Non-applicable requirements expressly identified in this permit [401 KAR 52:040, Section 11].